


SOLAR CHOC LIGHT

► OLV-OLC1.0



Product Parameters



Solar Panel: 5V/60W (MONO)
Light Source: 2300lm
Battery: 3.2V/25(±5)Ah

Installation Height: 4-5m
Installation Distance: 15-20m




Solar Panel: 5V/70W (MONO)
Light Source: 3000lm
Battery: 3.2V/50(±5)Ah


Installation Height: 6-8m
Installation Distance: 20-30m

Unique appearance design, aluminum magnesium alloy lamp case.

Solar Panel: 5V/90W (MONO)
Light Source: 3000lm
Battery: 3.2V/50(±5)Ah




Dimension of Solar Panel:




590×525

60W




590×630

70W



590×780

90W



Product Size (Unit: mm)



WhatsApp

☎ 400-000-6071 +86-19863378600

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuatai District, Nanjing



SOLAR CHOC LIGHT

► OLV-OLC1.0

10 Years
Warranty

OUR ADVANTAGE

Low Light Power
Generation

Aluminum Magnesium Alloy
Lamp Case

High quality aluminum
magnesium alloy.
Original patent design,
independent mould.

Imported CREE LED

Powered by Cree LED™
Products, with 100000
hrs life span.


PC Outdoor Optical Lens

High light transmittance, high
temperature resistance and
aging resistance.




Gold Plated Plug

- Safe and risk-free.
- No worry about connection
and short circuit.



LiFePO4 battery

- With LiFePO4 battery, high safety,
long life span.



- 1 Aluminum Magnesium Alloy
Lamp Case
- 2 LiFePO4 Battery
- 3 Seal Ring
- 4 LED Lamp Beads

- 5 Controller and Driver Integrated
LED Board
- 6 PC Outdoor Optical Lens
- 7 Light Holder
- 8 Gold Plated Plug



WhatsApp


☎ 400-000-6071 +86-19863378600

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuai District, Nanjing

SOLAR CHOC LIGHT

Low Light Power Generation



WhatsApp

☎ 400-000-6071 +86-19863378600

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuai District, Nanjing

