

SOLAR SIMPLE LIGHT

► OLV-OLS1.0



Product Parameters

Solar Panel: 5V/45W (MONO)
Light Source: 3000lm
Battery: 3.2V/25(±5)Ah

Installation Height: 5-6m
Installation Distance: 15-25m

Solar Panel: 5V/60W (MONO)
Light Source: 3000lm
Battery: 3.2V/25(±5)Ah

Installation Height: 5-6m
Installation Distance: 15-25m


High appearance value modeling,
lighting and viewing can be
met at the same time, both
inside and outside.




Lighting Time

6+X/Intelligent power control, and can
use remote control to adjust brightness
and working mode.



Dimension of Solar Panel (Unit: mm)



410×550
40W



590×525
60W



Product Size (Unit: mm)



☎ 025-85093701 025-52103077

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuatai District, Nanjing

SOLAR SIMPLE LIGHT

► OLV-OLS1.0


10 Years
Warranty

OUR ADVANTAGE



Aluminum Magnesium Alloy
Lamp Case

High quality Anti
corrosion galvanized
steel platedie casting



Imported CREE LED

Powered by Cree LED™
Products, with 100000
hrs life span.



PC Outdoor Optical Lens

High light transmittance, high
temperature resistance and
aging resistance.




Gold Plated Plug

- Safe and risk-free.
- No worry about connection
and short circuit.



LiFePO4 battery

- With LiFePO4 battery, high safety,
long life span.



- 1 Anti-corrosion Galvanized
Steel Lamp Case
- 2 LiFePO4 Battery
- 3 Seal Ring
- 4 LED Lamp Beads

- 5 Controller and Driver Integrated
LED Board
- 6 PC Outdoor Optical Lens
- 7 Light Holde
- 8 Gold Plated Plug



WhatsApp


☎ 400-000-6071 +86-19863378600

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuatai District, Nanjing

SOLAR SIMPLE LIGHT

► OLV-OLS1.0



WhatsApp

☎ 400-000-6071 +86-19863378600

🌐 www.euler-ve.com/

📍 Add: Room 906, Building J, Himalayas, Yuhua Street, Yuhuatai District, Nanjing

